

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Thomas M. Soukup	Examiner:	Gary A. Porter, Jr.
Serial No.:	10/590,369	Group Art Unit:	3766
Filed:	May 17, 2007	Docket No.:	H583.106.102
Title:	TEST CONNECTOR FOR IMPLANTABLE LEADS		

RESPONSE TO RESTRICTION REQUIREMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This response is in reply to the Office Action mailed April 7, 2009, in which a Restriction Requirement was set forth relative to the Examiner-identified inventions of Group I: claims 1-21, drawn to a closeable housing; Group II: claims 22-43, drawn to a housing with a latch and channels for receiving implantable leads; and Group III: claim 44, drawn to a method for configuring and positioning an implantable device.

In response, Applicant hereby elects Group I consisting of at least claims 1-21.

Having thus addressed the Restriction Requirement imposed by the Examiner, examination of the pending claims is respectfully requested.

Response to Restriction Requirement

Applicant: Thomas M. Soukup

Serial No.: 10/590,369

Filed: May 17, 2007

Docket No.: H583.106.102

Title: TEST CONNECTOR FOR IMPLANTABLE LEADS

Any inquiry regarding this Response should be directed to Paul P. Kempf at Telephone No. (612) 767-2502, Facsimile No. (612) 573-2005. In addition, all correspondence should continue to be directed to the following address:

Dicke, Billig & Czaja

Fifth Street Towers, Suite 2250

100 South Fifth Street

Minneapolis, MN 55402

Respectfully submitted,

Thomas M. Soukup,

By his attorneys,

DICKE, BILLIG & CZAJA, PLLC

Fifth Street Towers, Suite 2250

100 South Fifth Street

Minneapolis, MN 55402

Telephone: (612) 767-2502

Facsimile: (612) 573-2005

Date: May 7, 2009

PPK:cmj:mlm

/paulpkempf/

Paul P. Kempf

Reg. No. 39,727